

Fehlmann AG

Birren 1, CH-5703 Seon, Telephone +41 62 769 11 11, Fax +41 62 769 11 90, email: mail@fehlmann.com

FEGEMA – FEHLMANN® AG SECOND-HAND MACHINES

www.fegema.com

CURRENT STOCK LIST



FEHLMANN SECOND-HAND MACHINES

Contact: mail@fehlmann.com

PICOMAX® 90-M

Year of construction	2002
Control	Heidenhain TNC 430
Travelling path	X 700 mm Y 420 mm Z 610 mm B -5° up to +108° C 0° up to 360°
Clamping area (L x W)	1260 x 490 mm
Table-to-spindle nose distance	92–702 mm
Work spindle	
Output at S3 (60%ED)	11.7 kW
Speed	50–18'000 1/min
Tool magazine	48
Taper	SK 30
Cutting feed rate/ rapid feed	1–20'000 mm/min
Dividing/swivelling unit	ATS 160 PC
Accessories	<ul style="list-style-type: none"> ■ Chip conveyor ■ Swivelling table ■ FEHLMANN cycles



Subject to technical modifications.
Subject to prior sale.

Fehlmann AG

Birren 1, CH-5703 Seon, Telephone +41 62 769 11 11, Fax +41 62 769 11 90, email: mail@fehlmann.com

FEGEMA – FEHLMANN® AG SECOND-HAND MACHINES

www.fegema.com

CURRENT STOCK LIST



FEHLMANN SECOND-HAND MACHINES

Contact: mail@fehlmann.com

PICOMAX® 90-M

Year of construction	2002
Control	Heidenhain TNC 430
Travelling path	X 700 mm Y 420 mm Z 610 mm B -5° up to +108° C 0° up to 360°
Clamping area (L x W)	1260 x 490 mm
Table-to-spindle nose distance	92–702 mm
Work spindle	
Output at S6 (40%ED)	11.7 kW
Speed	50–18'000 1/min
Tool magazine	48
Taper	SK 30
Cutting feed rate/ rapid feed	1–20'000 mm/min
Dividing/swivelling unit	ATS 160 PC
Accessories	<ul style="list-style-type: none"> ■ Chip conveyor ■ Swivelling table ■ FEHLMANN cycles



Subject to technical modifications.
Subject to prior sale.

Fehlmann AG

Birren 1, CH-5703 Seon, Telephone +41 62 769 11 11, Fax +41 62 769 11 90, email: mail@fehlmann.com

FEGEMA – FEHLMANN® AG SECOND-HAND MACHINES

www.fegema.com

CURRENT STOCK LIST

Machines of our own production halls

From CH-5703 Seon, Switzerland

CNC lathe Max Müller, Gildemeister MD 5iC-4A

Year of construction	1989
Max. turning diam.	500 mm, chuck D 250 mm
Max. turning length	1200 mm
Power	28 kW
Spindle rates	1: 1'263, 2: 4'000 rpm
CNC	Eltropilot EP20
Accessories	2 Saddle VDI 40, cooling system/Band filter, cooling through spindle, working in one shift of 50 hours. VDI-40 taper.
Description	Very well maintained EXW Seon.
EXW Seon (CH), for the time being ready for operation, unpacked, uninsured. Subject to technical modifications. Without guarantee, subject to prior sale.	

